INDEX TO AUTHORS

ABERNETHY, THEODORE J. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

ADAMS, MARK H., HENDEE, EDELMIRA D., and PAPPENHEIMER, A. M., JR. Factors involved in production of *Clostridium welchii* alpha toxin, 701

ALEXANDER, HATTIE E., and LEIDY, GRACE. Mode of action of streptomycin on type b *Haemophilus influenzae*. I. Origin of resistant organisms, 329

— and —. II. Nature of resistant variants, 607

ALLING, ERIC L. See MILLER and ALLING, 55

BADGER, GEORGE F. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

BEISER, SAM M. See KABAT, BENDICH, BEZER, and BEISER, 685

BENDICH, AARON. See KABAT, BENDICH, BEZER, and BEISER, 685

BERNHARD, WILLIAM G. See HEIDELBERGER, MACLEOD, HODGES, BERNHARD, and DI LAPI, 227

BEZER, ADA E. See KABAT, BENDICH, BEZER, and BEISER, 685

—. See KABAT, WOLF, and BEZER, 117

BODIAN, DAVID, and HOWE, HOWARD A. The significance of lesions in peripheral ganglia in chimpanzee and in human poliomyelitis, 231

BOLDT, MARTIN H. See ROSEBURY, MEIKLEJOHN, KINGSLAND, and BOLDT, 65

BREWSTER, LYDIA E. See ZAMECNIK, BREWSTER, and LIPMANN, 381

CHEEVER, F. SARGENT, and MUELLER, J. HOWARD. Epidemic diarrheal disease of suckling mice. I. Manifestations, epidemiology, and attempts to transmit the disease, 405

COHEN, SEYMOUR S., and FOWLER, CATHERINE B. Chemical studies on host-virus interactions. III. Tryptophane requirements in the stages of virus multiplication in the *Escherichia coli*-T2 bacteriophage system, 771

COMMISSION ON ACUTE RESPIRATORY DISEASES. Studies on streptococcal fibrinolysis. V. The *in vitro* production of fibrinolysin by various groups and types of beta hemolytic streptococci; relationship to antifibrinolysin production, 441

CRESSY, NORMAN L. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

CURNEN, EDWARD C., and HORSFALL, FRANK L., JR. Properties of pneumonia virus of mice (PVM) in relation to its state, 39

—, PICKELS, EDWARD G., and HORSFALL, FRANK L., JR. Centrifugation studies on pneumonia virus of mice (PVM). The relative sizes of free and combined virus, 23

CURTIS, G. W., ROBBINS, S. L., and GLICKMAN, I. Studies on glycogen nephrosis in alloxan-treated diabetic rats, 373

DI LAPI, MARIE M. See HEIDELBERGER, MACLEOD, HODGES, BERNHARD, and DI LAPI, 227

DINGLE, JOHN H. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

DOAN, CHARLES A. See WILSON, SASLAW, DOAN, WOOLPERT, and SCHWAB, 199

DOLE, VINCENT P. See ELLIOTT and DOLE, 305

DUBOS, RENÉ J. The effect of lipids and serum albumin on bacterial growth, 9

EAGLE, HARRY. The inactivation of penicillins F, G, K, and X by human and rabbit serum, 141

—. The therapeutic activity of penicillins F, G, K, and X in experimental infections with Pneumococcus Type I and *Streptococcus pyogenes*, 175

—. The varying blood levels afforded by penicillins F, G, K, and X in rabbits and man, 163

—, MAGNUSON, H. J., and FLEISCHMAN, RALPH. Relation of the size of the inoculum and the age of the infection to the curative dose of penicillin in experimental syphilis, with particular reference to the feasibility of its prophylactic use, 423

EISEN, HERMAN N. See STOERK, EISEN, and JOHN, 365

ELLIOTT, STUART D., and DOLE, VINCENT P. An inactive precursor of streptococcal proteinase, 305

ENDERS, JOHN F. See PAPPENHEIMER and ENDERS, 417

FELLER, A. E. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

FLEISCHMAN, RALPH. See EAGLE, MAGNUSON, and FLEISCHMAN, 423

FOWLER, CATHERINE B. See COHEN and FOWLER, 771

FOX, JOHN P. See PETERSON and FOX, 543

FRANCIS, THOMAS, JR. Dissociation of hemagglutinating and antibody-measuring capacities of influenza virus, 1

GLICKMAN, I. See CURTIS, ROBBINS, and GLICKMAN, 373

GOEBEL, WALTHER F. Studies on the Flexner group of dysentery bacilli. VI. The detoxification of *Shigella paradysenteriae* by means of periodic acid, 499

GORDON, IRVING. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

GUNTHER, ANNE. See WELD and GUNTHER, 531

HARVEY, E. NEWTON, and MCMILLEN, J. HOWARD. An experimental study of shock waves resulting from the impact of high velocity missiles on animal tissues, 321

HAWKINS, W. B., MCKEE, F. W., HAWLEY, G. M. B., and KUMMER, A. J. The metabolism of amino acids and casein digest in phlorhizinized dogs, 479

HAWLEY, G. M. B. See HAWKINS, MCKEE, HAWLEY, and KUMMER, 479

HAWN, CLINTON VAN ZANDT, and JANEWAY, CHARLES A. Histological and serological sequences in experimental hypersensitivity, 571

HECHTER, OSCAR. Studies on spreading factors. I. The importance of mechanical factors in hyaluronidase action in skin, 77

HEIDELBERGER, MICHAEL, MACLEOD, COLIN M., HODGES, RICHARD G., BERNHARD, WILLIAM G., and DI

LAPI, MARIE M. Antibody formation in men following injection of four type-specific polysaccharides of pneumococcus, 227
HENDEE, EDELMIRA D. See ADAMS, HENDEE, and PAPPENHEIMER, 701
HENLE, GERTRUDE. See HENLE and HENLE, 347
HENLE, WERNER, and HENLE, GERTRUDE. The effect of ultraviolet irradiation on various properties of influenza viruses, 347
HODGES, RICHARD G. See HEIDELBERGER, MACLEOD, HODGES, BERNHARD, and DI LAPI, 227
HORSFALL, FRANK L., JR., and MCCARTY, MACLYN. The modifying effects of certain substances of bacterial origin on the course of infection with pneumonia virus of mice (PVM), 623
—. See CURNEN and HORSFALL, 39
—. See CURNEN, PICKELS, and HORSFALL, 23
HORSTMANN, DOROTHY M. See MELNICK and HORSTMANN, 287
HOWE, HOWARD A. See BODIAN and HOWE, 231

JANEWAY, CHARLES A. See HAWN and JANEWAY, 571
JOHN, HEDDA M. See STOERK, EISEN, and JOHN, 365

KABAT, ELVIN A., BENDICH, AARON, BEZER, ADA E., and BEISER, SAM M. Immunochemical studies on blood groups. IV. Preparation of blood group A substances from human sources and a comparison of their chemical and immunochemical properties with those of the blood group A substance from hog stomach, 685
—, WOLF, ABNER, and BEZER, ADA E. The rapid production of acute disseminated encephalomyelitis in *rhesus* monkeys by injection of heterologous and homologous brain tissue with adjuvants, 117
KINGSLAND, LAWRENCE C. See ROSEBURY, MEIKLEJOHN, KINGSLAND, and BOLDT, 65
KNIGHT, C. A. The nucleic acid and carbohydrate of influenza virus, 99
KNOWLTON, ABBIE I., LOEB, EMILY N., STOERK, HERBERT C., and SEEGAL, BEATRICE C. Desoxycorticosterone acetate. The potentiation of its activity by sodium chloride, 187
KOOMEN, J., JR. See SYVERTON, MCCOY, and KOOMEN, 759
KOPROWSKI, HILARY, RICHMOND, GILBERT, and MOORE, DAN H. Electrophoretic study of antiviral sera, 515
KRIMSKY, I. See RACKER and KRIMSKY, 715
KUMMER, A. J. See HAWKINS, MCKEE, HAWLEY, and KUMMER, 479

LANGMUIR, ALEXANDER D. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441
LEIDY, GRACE. See ALEXANDER and LEIDY, 329, 607
LIPMANN, FRITZ. See ZAMECNIK, BREWSTER, and LIPMANN, 381
—. See ZAMECNIK and LIPMANN, 395
LOEB, EMILY N. See KNOWLTON, LOEB, STOERK, and SEEGAL, 187

MACLEOD, COLIN M. See HEIDELBERGER, MACLEOD, HODGES, BERNHARD, and DI LAPI, 227
MAGNUSON, H. J. See EAGLE, MAGNUSON, and FLEISCHMAN, 423

McCarty, Maclyn. The occurrence during acute infections of a protein not normally present in the blood. IV. Crystallization of the C-reactive protein, 491
—. See Horsfall and McCarty, 623
McCoy, O. R. See Syverton, McCoy, and Koomen, 759
McKee, F. W. See Hawkins, McKee, Hawley, and Kummer, 479
McMillen, J. Howard. See Harvey and McMillen, 321
Meiklejohn, Gordon. See Rosebury, Meiklejohn, Kingsland, and Boldt, 65
Melnick, Joseph L., and Horstmann, Dorothy M. Active immunity to poliomyelitis in chimpanzees following subclinical infection, 287
Miller, Leon L., and Alling, Eric L. The effect of *dl*-methionine, *l*-cystine, and *dl*-isoleucine on the utilization of parenterally administered dog hemoglobin. A suggestion for designing the composition of the "ideal" protein digest, 55
—, Robscheit-Robbins, F. S., and Whipple, G. H. Anemia and hypoproteinemia. Weight maintenance effected by food proteins but not by mixtures of pure amino acids, 267
—. See Robscheit-Robbins, Miller, and Whipple, 243
—. See Whipple, Miller, and Robscheit-Robbins, 277
Moore, Dan H. See Koprowski, Richmond, and Moore, 515
Morgan, Isabel M. Allergic encephalomyelitis in monkeys in response to injection of normal monkey nervous tissue, 131
Morrione, Thomas G. Quantitative study of collagen content in experimental cirrhosis, 217
Mueller, J. Howard. See Cheever and Mueller, 405
Musselman, Arlyne D. See Eagle, 141, 163, 175

Opie, Eugene L. Normal structure and degenerative changes of the cytoplasm of liver cells and of tumor cells derived from them, 339

Pappenheimer, A. M., Jr. See Adams, Hendee, and Pappenheimer, 701
Pappenheimer, Alwin M., and Enders, John F. An epidemic diarrheal disease of suckling mice. II. Inclusions in the intestinal epithelial cells, 417
Peck, John L., Jr., and Sabin, Albert B. Multiplication and spread of the virus of St. Louis encephalitis in mice with special emphasis on its fate in the alimentary tract, 647
Peterson, Osler L., and Fox, John P. The antirickettsial effect of thionine dyes. I. The use of methylene blue and toluidine blue to combat experimental tsutsugamushi disease (scrub typhus), 543
Pickels, Edward G. See Curnen, Pickels, and Horsfall, 23
Puck, Theodore T. The mechanism of aerial disinfection by glycols and other chemical agents. I. Demonstration that the germicidal action occurs through the agency of the vapor phase, 729
—. II. An analysis of the factors governing the efficiency of chemical disinfection of the air, 741

Racker, E., and Krimsky, I. Relation of iron salts to inhibition of glycolysis by Theiler FA virus of mouse encephalomyelitis, 715
Rammelkamp, Charles H., Jr. See Commission on Acute Respiratory Diseases, Fort Bragg, North Carolina, 441

RICHMOND, GILBERT. See KOPROWSKI, RICHMOND, and MOORE, 515

ROBBINS, S. L. See CURTIS, ROBBINS, and GLICKMAN, 373

ROBSCHEIT-ROBBINS, F. S., MILLER, LEON L., and WHIPPLE, G. H. Plasma protein and hemoglobin production. Deletion of individual amino acids from growth mixture of ten essential amino acids. Significant changes in urinary nitrogen, 243

—. See MILLER, ROBSCHEIT-ROBBINS, and WHIPPLE, 267

—. See WHIPPLE, MILLER, and ROBSCHEIT-ROBBINS, 277

ROSEBURY, THEODOR, MEIKLEJOHN, GORDON, KINGSLAND, LAWRENCE C., and BOLDT, MARTIN H. Disinfection of clouds of meningopneumonitis and psittacosis viruses with triethylene glycol vapor, 65

SABIN, ALBERT B. See PECK and SABIN, 647

SASLAW, SAMUEL. See WILSON, SASLAW, DOAN, WOOLPERT, and SCHWAB, 199

SCHWAB, J. L. See WILSON, SASLAW, DOAN, WOOLPERT, and SCHWAB, 199

SEEGAL, BEATRICE C. See KNOWLTON, LOEB, STOERK, and SEEGAL, 187

SMITH, WILLIAM E. The neoplastic potentialities of mouse embryo tissues. III. The tumors elicited from gastric epithelium, 459

STOERK, HERBERT C., EISEN, HERMAN N., and JOHN, HEDDA M. Impairment of antibody response in pyridoxine-deficient rats, 365

—. See KNOWLTON, LOEB, STOERK, and SEEGAL, 187

STRAUSS, ELIAS. See COMMISSION ON ACUTE RESPIRATORY DISEASES, Fort Bragg, North Carolina, 441

SULKIN, S. EDWARD, and ZARAFONETIS, CHRISTINE. Influence of anesthesia on experimental neurotropic virus infections. II. *In vitro* studies with the viruses of Western and Eastern equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies, 559

SYVERTON, J. T., MCCOY, O. R., and KOOMEN, J., JR. The transmission of the virus of lymphocytic choriomeningitis by *Trichinella spiralis*, 759

TODD, EDGAR W. A study of the inhibition of streptococcal proteinase by sera of normal and immune animals and of patients infected with group A hemolytic streptococci, 591

TRAGER, WILLIAM. The relation to the course of avian malaria of biotin and a fat-soluble material having the biological activities of biotin, 663

WELD, JULIA T., and GUNTHER, ANNE. The antibacterial properties of sulfur, 531

WHIPPLE, G. H., MILLER, LEON L., and ROBSCHEIT-ROBBINS, F. S. Raiding of body tissue protein to form plasma protein and hemoglobin. What is premortal rise of urinary nitrogen? 277

—. See MILLER, ROBSCHEIT-ROBBINS, and WHIPPLE, 267

—. See ROBSCHEIT-ROBBINS, MILLER, and WHIPPLE, 243

WILSON, H. E., SASLAW, SAMUEL, DOAN, CHARLES A., WOOLPERT, O. C., and SCHWAB, J. L. Reactions of monkeys to experimental mixed influenza and streptococcus infections. An analysis of the relative rôles of humoral and cellular immunity, with the description of an intercurrent nephritic syndrome, 199

WOLF, ABNER. See KABAT, WOLF, and BEZER, 117

WOOLPERT, O. C. See WILSON, SASLAW, DOAN, WOOLPERT, and SCHWAB, 199

ZAMECNIK, PAUL C., BREWSTER, LYDIA E., and LIPMANN, FRITZ. A manometric method for measuring the activity of the *Clostridium welchii* lecithinase and a description of certain properties of this enzyme, 381

ZAMECNIK, PAUL C., and LIPMANN, FRITZ. A study of the competition of lecithin and antitoxin for *Clostridium welchii* lecithinase, 395

ZARAFONETIS, CHRISTINE. See SULKIN and ZARAFONETIS, 559

INDEX TO SUBJECTS

ACID, nucleic, and carbohydrate of influenza virus, 99
—, periodic, detoxification of *Shigella paradysenteriae* by means of, 499
Acids, amino, and casein digest, metabolism in phlorhizinized dogs, 479
—, amino, individual, deletion from growth mixture of ten essential amino acids, significant changes in urinary nitrogen, 243
—, amino, pure, mixtures, weight maintenance effected by food proteins but not by, 267
Aerial disinfection by glycols and other chemical agents, mechanism, analysis of factors governing efficiency of chemical disinfection of air, 741
—disinfection by glycols and other chemical agents, mechanism, germicidal action occurs through agency of vapor phase, 729
Air, chemical disinfection by glycols and other chemical agents, analysis of factors governing efficiency, 741
Albumin, serum, and lipids, effect on bacterial growth, 9
Alimentary tract, multiplication and spread of St. Louis encephalitis virus in mice with emphasis on fate in, 647
Allergic encephalomyelitis in monkeys in response to injection of monkey nervous tissue, 131
Alloxan-treated diabetic rats, glycogen nephrosis in, 373
Amino acids and casein digest, metabolism in phlorhizinized dogs, 479
—acids, individual, deletion from growth mixture of ten essential amino acids, significant changes in urinary nitrogen, 243
Amino acids, pure, mixtures, weight maintenance effected by food proteins but not by, 267
Anemia and hypoproteinemia, weight maintenance effected by food proteins but not by mixtures of pure amino acids, 267
Anesthesia, influence on neurotropic virus infections, *in vitro* studies with viruses of Western and Eastern equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies, 559
Antibacterial properties of sulfur, 531
Antibody formation in men following injection of four type-specific polysaccharides of pneumococcus, 227
—response in pyridoxine-deficient rats, impairment, 365
Antibody-measuring and hemagglutinating capacities of influenza virus, dissociation, 1
Antifibrinolysin production, relationship of *in vitro* production of fibrinolysin by various groups and types of beta hemolytic streptococci, 441
Antirickettsial effect of thionine dyes, use of methylene blue and of toluidine blue to combat tsutsugamushi disease, 543
Antitoxin and lecithin, competition for *Clostridium welchii* lecithinase, 395
Antiviral sera, electrophoretic study, 515
Avian malaria, course, relation of biotin and fat-soluble material having biological activities of biotin, 663

BACILLI, dysentery, Flexner, detoxification of *Shigella paradysenteriae* by means of periodic acid, 499

Bacterial growth, effect of lipids and serum albumin, 9
—origin, substances of, modifying effects on course of infection with pneumonia virus of mice, 623
Bacteriophage system, *Escherichia coli*-T2, tryptophane requirements in stages of virus multiplication in, 771
Biological activities of biotin, relation to course of avian malaria of biotin and fat-soluble material having, 663
Biotin and fat-soluble material having biological activities of biotin, relation to course of avian malaria, 663
Blood groups, immunochemical studies, preparation of blood group A substances from human sources and comparison of chemical and immunochemical properties with those of blood group A substance from hog stomach, 685
—levels, varying, afforded by penicillins F, G, K, and X in rabbits and man, 163
—, occurrence during acute infections of C-reactive protein not normally present, 491
Bodies, inclusion, in intestinal epithelial cells in epidemic diarrheal disease of suckling mice, 417
Body tissue protein, raiding to form plasma protein and hemoglobin, premortal rise of urinary nitrogen, 277
Brain tissue, heterologous and homologous, with adjuvants, rapid production of acute disseminated encephalomyelitis in *rhesus* monkeys by injection of, 117

CARBOHYDRATE and nucleic acid of influenza virus, 99
Casein digest and amino acids, metabolism in phlorhizinized dogs, 479
Cells, epithelial, intestinal, in epidemic diarrheal disease of suckling mice, inclusions in, 417
Cells, liver, and tumor cells derived from them, cytoplasm, normal structure and degenerative changes, 339
Cellular and humoral immunity to mixed influenza and streptococcus infections, relative rôles, with description of intercurrent nephritic syndrome, 199
Centrifugation studies on pneumonia virus of mice, relative sizes of free and combined virus, 23
Chemical agents and glycols, mechanism of aerial disinfection, analysis of factors governing efficiency of chemical disinfection of air, 741
—agents and glycols, mechanism of aerial disinfection, germicidal action occurs through agency of vapor phase, 729
— studies on host-virus interactions, tryptophane requirements in stages of virus multiplication in *Escherichia coli*-T2 bacteriophage system, 771
Chemistry, immuno-, studies on blood groups, preparation of blood group A substances from human sources and comparison of chemical and immunochemical properties with those of blood group A substance from hog stomach, 685
Choriomeningitis virus, lymphocytic, transmission by *Trichinella spiralis*, 759
Cirrhosis, collagen content, quantitative study, 217
Clostridium welchii alpha toxin, factors in production, 701
— *welchii* lecithinase, activity, manometric method for measuring, and description of properties of enzyme, 381
— *welchii* lecithinase, competition of lecithin and antitoxin for, 395
Collagen content in cirrhosis, quantitative study, 217
Crystallization of C-reactive protein not normally present in blood, oc-

currence during acute infections, 491
Cystine, *l*-, *dl*-methionine, and *dl*-isoleucine, effect on utilization of parenterally administered hemoglobin, suggestion for designing composition of ideal protein digest, 55
Cytoplasm of liver cells and tumor cells derived from them, normal structure and degenerative changes, 339

DEFICIENCY, pyridoxine, in rats, impairment of antibody response, 365
Desoxycorticosterone acetate, potentiation of activity by sodium chloride, 187
Detoxification of *Shigella paradysenteriae* by means of periodic acid, 499
Diabetic rats, alloxan-treated, glycogen nephrosis in, 373
Diarrheal disease, epidemic, of suckling mice, inclusions in intestinal epithelial cells, 417
— disease, epidemic, of suckling mice, manifestations, epidemiology, and attempts to transmit, 405
Disinfection, aerial, by glycols and other chemical agents, mechanism, analysis of factors governing efficiency of chemical disinfection of air, 741
—, aerial, by glycols and other chemical agents, mechanism, germicidal action occurs through agency of vapor phase, 729
— of clouds of meningopneumonitis and psittacosis viruses with triethylene glycol vapor, 65
Dyes, thionine, antirickettsial effect, use of methylene blue and toluidine blue to combat tsutsugamushi disease, 543
Dysentery bacilli, Flexner, detoxification of *Shigella paradysenteriae* by means of periodic acid, 499

EASTERN and Western equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies viruses, *in vitro* studies on influence of anesthesia, 559
Electrophoretic study of antiviral sera, 515
Embryo tissues, mouse, neoplastic potentialities, tumors elicited from gastric epithelium, 459
Encephalitis, St. Louis, Western and Eastern equine encephalomyelitis, poliomyelitis (Lansing), and rabies viruses, *in vitro* studies on influence of anesthesia, 559
— virus, St. Louis, multiplication and spread in mice with emphasis on fate in alimentary tract, 647
Encephalomyelitis, acute disseminated, rapid production in *rhesus* monkeys by injection of heterologous and homologous brain tissue with adjuvants, 117
—, allergic, in monkeys, in response to injection of monkey nervous tissue, 131
—, equine, Western and Eastern, St. Louis encephalitis, poliomyelitis (Lansing), and rabies viruses, *in vitro* studies on influence of anesthesia, 559
— virus, mouse, Theiler FA, glycolysis, inhibition, relation of iron salts, 715
Enzyme, *Clostridium welchii* lecithinase, activity, manometric method for measuring, and description of properties, 381
Epidemic diarrheal disease of suckling mice, inclusions in intestinal epithelial cells, 417
— diarrheal disease of suckling mice, manifestations, epidemiology, and attempts to transmit the disease, 405
Epidemiology, manifestations, and attempts to transmit epidemic diarrheal disease of suckling mice, 405
Epithelial cells, intestinal, in epidemic diarrheal disease of suckling mice, inclusions in, 417

Epithelium, gastric, tumors elicited from, neoplastic potentialities of mouse embryo tissues, 459
Escherichia coli-T2 bacteriophage system, tryptophane requirements in stages of virus multiplication in, 771

FAT-SOLUBLE material having biological activities of biotin, relation to course of avian malaria, 663
Fibrinolysin, *in vitro* production by various groups and types of beta hemolytic streptococci, relationship to antifibrinolysin production, 441
Fibrinolysis, streptococcal, *in vitro* production of fibrinolysin by various groups and types of beta hemolytic streptococci, relationship to antifibrinolysin production, 441
Flexner dysentery bacilli, detoxification of *Shigella paradysenteriae* by means of periodic acid, 499
—, Simon. Frontispiece. Reproduction of a photograph taken by the late Dr. Frederick L. Gates.
Food proteins, weight maintenance effected by, but not by mixtures of pure amino acids, 267

GANGLIA, peripheral, lesions, significance in chimpanzee and human poliomyelitis, 231
Gastric epithelium, tumors elicited from, neoplastic potentialities of mouse embryo tissues, 459
Germicidal action of glycols and other chemical agents occurs through agency of vapor phase in aerial disinfection, 729
Glycogen nephrosis in alloxan-treated diabetic rats, 373
Glycol vapor, triethylene, disinfection of clouds of meningopneumonitis and psittacosis viruses with, 65
Glycols and other chemical agents, mechanism of aerial disinfection, analysis of factors governing efficiency of chemical disinfection of air, 741
— and other chemical agents, mechanism of aerial disinfection, germicidal action occurs through agency of vapor phase, 729
Glycolysis, inhibition by Theiler FA virus of mouse encephalomyelitis, relation of iron salts, 715
Growth, bacterial, effect of lipids and serum albumin, 9
— mixture of ten essential amino acids, deletion of individual amino acids, significant changes in urinary nitrogen, 243

HAEMOPHILUS *influenzae*, type b, mode of action of streptomycin, nature of resistant variants, 607
— *influenzae*, type b, mode of action of streptomycin, origin of resistant organisms, 329
Hemagglutinating and antibody-measuring capacities of influenza virus, dissociation, 1
Hemoglobin, parenterally administered, effect of *dl*-methionine, *l*-cystine, and *dl*-isoleucine on utilization, suggestion for designing composition of ideal protein digest, 55
— and plasma protein production, deletion of individual amino acids from growth mixture of ten essential amino acids, significant changes in urinary nitrogen, 243
— and plasma protein, raiding of body tissue protein to form, premortal rise of urinary nitrogen, 277
Hemolytic streptococci, beta, various groups and types, *in vitro* production of fibrinolysin by, relationship to antifibrinolysin production, 441
— streptococci, group A, inhibition of streptococcal proteinase by sera of normal and immune animals and of patients infected with, 591
Hemophilus influenzae. *See Haemophilus influenzae*.

Heterologous and homologous brain tissue with adjuvants, rapid production of acute disseminated encephalomyelitis in *rhesus* monkeys by injection of, 117
Histological and serological sequences in hypersensitivity, 571
Homologous and heterologous brain tissue with adjuvants, rapid production of acute disseminated encephalomyelitis in *rhesus* monkeys by injection of, 117
Horse encephalomyelitis, Western and Eastern, St. Louis encephalitis, poliomyelitis (Lansing), and rabies viruses, *in vitro* studies on influence of anesthesia, 559
Humoral and cellular immunity to mixed influenza and streptococcus infections, relative rôles, with description of intercurrent nephritic syndrome, 199
Hyaluronidase action in skin, importance of mechanical factors, 77
Hypersensitivity, histological and serological sequences, 571
Hypoproteinemia and anemia, weight maintenance effected by food proteins but not by mixtures of pure amino acids, 267

IMMUNE and normal animals, sera, and of patients infected with group A hemolytic streptococci, inhibition of streptococcal proteinase by, 591
Immunity, active, to poliomyelitis, following subclinical infection, 287
—, humoral and cellular, to mixed influenza and streptococcus infections, relative rôles, with description of intercurrent nephritic syndrome, 199
Immunochemical studies on blood groups, preparation of blood group A substances from human sources and comparison of chemical and immunochemical properties with those of blood group A substance from hog stomach, 685
Influenza and streptococcus infections, mixed, reactions to, relative rôles of humoral and cellular immunity with description of intercurrent nephritic syndrome, 199
— virus, hemagglutinating and antibody-measuring capacities, dissociation, 1
— virus, nucleic acid and carbohydrate, 99
— viruses, properties, effect of ultraviolet irradiation, 347
Inhibition of glycolysis by Theiler FA virus of mouse encephalomyelitis, relation of iron salts, 715
— of streptococcal proteinase by sera of normal and immune animals and of patients infected with group A hemolytic streptococci, 591
Injection of four type-specific polysaccharides of pneumococcus, antibody formation in men following, 227
— of heterologous and homologous brain tissue with adjuvants, rapid production of acute disseminated encephalomyelitis in *rhesus* monkeys by, 117
— of monkey nervous tissue, allergic encephalomyelitis in monkeys in response to, 131
Intestinal epithelial cells in epidemic diarrheal disease of suckling mice, inclusions in, 417
Iron salts, relation to inhibition of glycolysis by Theiler FA virus of mouse encephalomyelitis, 715
Irradiation, ultraviolet, effect on various properties of influenza viruses, 347
Isoleucine, *dl-* , *dl*-methionine, and *l*-cystine, effect on utilization of parenterally administered hemoglobin, suggestion for designing composition of ideal protein digest, 55

LECITHIN and antitoxin, competition for *Clostridium welchii* lecithinase, 395
Lecithinase, *Clostridium welchii*, activity, manometric method for measur-

ing, and description of properties of enzyme, 381
Lecithinase, *Clostridium welchii*, competition of lecithin and antitoxin for, 395
Leucine, iso-, *dl*-, *dl*-methionine, and *l*-cystine, effect on utilization of parenterally administered hemoglobin, suggestion for designing composition of ideal protein digest, 55
Lipids and serum albumin, effect on bacterial growth, 9
Liver cells and tumor cells derived from them, cytoplasm, normal structure and degenerative changes, 339
Lymphocytic choriomeningitis virus, transmission by *Trichinella spiralis*, 759

MALARIA, avian, course, relation of biotin and fat-soluble material having biological activities of biotin, 663
Man and chimpanzee poliomyelitis, significance of lesions in peripheral ganglia, 231
—, preparation of blood group A substances from, comparison of chemical and immunochemical properties with those of blood group A substance from hog stomach, 685
— and rabbit serum, inactivation of penicillins F, G, K, and X by, 141
— and rabbits, varying blood levels afforded by penicillins F, G, K, and X in, 163
Men, antibody formation following injection of four type-specific polysaccharides of pneumococcus, 227
Meningopneumonitis and psittacosis viruses, clouds, disinfection with triethylene glycol vapor, 65
Metabolism of amino acids and casein digest in phlorhizinized dogs, 479
Methionine, *dl*-, *l*-cystine, and *dl*-isoleucine, effect on utilization of parenterally administered hemoglobin, suggestion for designing composition of ideal protein digest, 55
Methylene blue and toluidine blue, use to combat tsutsugamushi disease, 543
Missiles, high velocity shock waves resulting from impact on animal tissues, 321

NEOPLASTIC potentialities o mouse embryo tissues, tumors elicited from gastric epithelium, 459
Nephritic syndrome intercurrent with mixed influenza and streptococcus infections, description, reactions to, relative rôles of humoral and cellular immunity, 199
Nephrosis, glycogen, in alloxan-treated diabetic rats, 373
Nervous tissue, monkey, allergic encephalomyelitis in monkeys in response to injection of, 131
Neurotropic virus infections, influence of anesthesia, *in vitro* studies with viruses of Western and Eastern equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies, 559
Nitrogen, urinary, premortal rise, raiding of body tissue protein to form plasma protein and hemoglobin, 277
—, urinary, significant changes, deletion of individual amino acids from growth mixture of ten essential amino acids, 243
Nucleic acid and carbohydrate of influenza virus, 99

PENICILLIN in syphilis, curative dose, relation of size of inoculum and age of infection, feasibility of prophylactic use, 423
Penicillins F, G, K, and X, inactivation by human and rabbit serum, 141
— F, G, K, and X, therapeutic activity in infections with Pneumococcus Type I and *Streptococcus pyogenes*, 175
— F, G, K, and X, varying blood levels afforded in rabbits and man, 163

Periodic acid, detoxification of *Shigella paradysenteriae* by means of, 499
Phlorhizinized dogs, metabolism of amino acids and casein digest, 479
Plasma protein and hemoglobin production, deletion of individual amino acids from growth mixture of ten essential amino acids, significant changes in urinary nitrogen, 243
— protein and hemoglobin, raiding of body tissue protein to form, premortal rise of urinary nitrogen, 277
Pneumococcus polysaccharides, type-specific, four, antibody formation in men following injection, 227
— Type I and *Streptococcus pyogenes*, therapeutic activity of penicillins F, G, K, and X in infections with, 175
Pneumonia virus of mice, centrifugation studies, relative sizes of free and combined virus, 23
— virus of mice, modifying effects of substances of bacterial origin on course of infection with, 623
— virus of mice, properties in relation to state, 39
Poliomyelitis, active immunity following subclinical infection, 287
—, chimpanzee and human, significance of lesions in peripheral ganglia, 231
— (Lansing), Western and Eastern equine encephalomyelitis, St. Louis encephalitis, and rabies viruses, *in vitro* studies on influence of anesthesia, 559
Polysaccharides, pneumococcus, four type-specific, antibody formation in men following injection, 227
Prophylactic use of penicillin in syphilis, feasibility, relation of size of inoculum and age of infection to curative dose, 423
Protein, body tissue, raiding to form plasma protein and hemoglobin, premortal rise of urinary nitrogen, 277
Protein, C-reactive, not normally present in blood, occurrence during acute infections, crystallization, 491
— digest, ideal, suggestion for designing composition, effect of *dl*-methionine, *l*-cystine, and *dl*-isoleucine on utilization of parenterally administered hemoglobin, 55
—, plasma, and hemoglobin production, deletion of individual amino acids from growth mixture of ten essential amino acids, significant changes in urinary nitrogen, 243
Proteinase, streptococcal, inactive precursor of, 305
—, streptococcal, inhibition by sera of normal and immune animals and of patients infected with group A hemolytic streptococci, 591
Proteins, food, weight maintenance effected by, but not by mixtures of pure amino acids, 267
Psittacosis and meningopneumonitis viruses, clouds, disinfection with triethylene glycol vapor, 65
Pyridoxine-deficient rats, antibody response, impairment, 365

RABIES, Western and Eastern equine encephalomyelitis, St. Louis encephalitis, and poliomyelitis (Lansing) viruses, *in vitro* studies on influence of anesthesia, 559

ST. LOUIS encephalitis virus, multiplication and spread in mice with emphasis on fate in alimentary tract, 647
— encephalitis, Western and Eastern equine encephalomyelitis, poliomyelitis (Lansing), and rabies viruses, *in vitro* studies on influence of anesthesia, 559
Salts, iron, relation to inhibition of glycolysis by Theiler FA virus of mouse encephalomyelitis, 715
Sera, antiviral, electrophoretic study, 515
— of normal and immune animals and of patients infected with group A

hemolytic streptococci, inhibition of streptococcal proteinase by, 591
Serological and histological sequences in hypersensitivity, 571
Serum albumin and lipids, effect on bacterial growth, 9
—, human and rabbit, inactivation of penicillins F, G, K, and X by, 141
Shigella paradysenteriae, detoxification by means of periodic acid, 499
Shock waves resulting from impact of high velocity missiles on animal tissues, 321
Skin, hyaluronidase action, importance of mechanical factors, 77
Sodium chloride, potentiation of desoxycorticosterone acetate activity by, 187
Specific, type-, polysaccharides, four, of pneumococcus, antibody formation in men following injection, 227
Spreading factors, importance of mechanical factors in hyaluronidase action in skin, 77
Stomach, hog, blood group A substance, chemical and immunochemical properties compared with those of blood group A substance from human sources, 685
Streptococcal fibrinolysis, *in vitro* production of fibrinolysin by various groups and types of beta hemolytic streptococci, relationship to antifibrinolysin production, 441
— proteinase, inactive precursor of, 305
— proteinase, inhibition by sera of normal and immune animals and of patients infected with group A hemolytic streptococci, 591
Streptococci, hemolytic, beta, various groups and types, *in vitro* production of fibrinolysin by, relationship to antifibrinolysin production, 441
—, hemolytic, group A, inhibition of streptococcal proteinase by sera of normal and immune animals and of patients infected with, 591
Streptococcus and influenza infections, mixed, reactions to, relative rôles of humoral and cellular immunity with description of intercurrent nephritic syndrome, 199
— *pyogenes* and Pneumococcus Type I, therapeutic activity of penicillins F, G, K, and X in infections with, 175
Streptomycin, mode of action on type b *Haemophilus influenzae*, nature of resistant variants, 607
—, mode of action on type b *Haemophilus influenzae*, origin of resistant organisms, 329
Sulfur, antibacterial properties, 531
Syphilis, relation of size of inoculum and age of infection to curative dose of penicillin, feasibility of prophylactic use, 423

THEILER FA virus of mouse encephalomyelitis, glycolysis, inhibition, relation of iron salts, 715
Therapeutic activity of penicillins F, G, K, and X in infections with Pneumococcus Type I and *Streptococcus pyogenes*, 175
Thionine dyes, antirickettsial effect, use of methylene blue and toluidine blue to combat tsutsugamushi disease, 543
Tissue, brain, heterologous and homologous, with adjuvants, rapid production of acute disseminated encephalomyelitis in *rhesus* monkeys by injection of, 117
—, nervous, monkey, allergic encephalomyelitis in monkeys in response to injection of, 131
— protein, body, raiding to form plasma protein and hemoglobin, premortal rise of urinary nitrogen, 277
Tissues, animal, shock waves resulting from impact of high velocity missiles on, 321
—, mouse embryo, neoplastic potentialities, tumors elicited from gastric epithelium, 459
Toluidine blue and methylene blue, use to combat tsutsugamushi disease, 543

Toxin, *Clostridium welchii* alpha, factors in production, 701
Transmission attempts, manifestations, and epidemiology of epidemic diarrheal disease of suckling mice, 405
— of lymphocytic choriomeningitis virus by *Trichinella spiralis*, 759
Trichinella spiralis, transmission of lymphocytic choriomeningitis virus by, 759
Triethylene glycol vapor, disinfection of clouds of meningopneumonitis and psittacosis viruses with, 65
Tryptophane requirements in stages of virus multiplication in *Escherichia coli*-T2 bacteriophage system, 771
Tsutsugamushi disease, use of methylene blue and toluidine blue to combat, 543
Tumor cells derived from liver cells, cytoplasm, normal structure and degenerative changes, 339
Tumors elicited from gastric epithelium, neoplastic potentialities of mouse embryo tissues, 459
Typhus, scrub, use of methylene blue and toluidine blue to combat, 543

ULTRAVIOLET irradiation, effect on various properties of influenza viruses, 347
Urinary nitrogen, premortal rise, raiding of body tissue protein to form plasma protein and hemoglobin, 277
—nitrogen, significant changes, deletion of individual amino acids from growth mixture of ten essential amino acids, 243

VAPOR phase of aerial disinfection by glycols and other chemical agents, germicidal action, 729
—, triethylene glycol, disinfection of clouds of meningopneumonitis and psittacosis viruses with, 65
Virus infections, neurotropic influence of anesthesia, *in vitro* studies with viruses of Western and Eastern equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies, 559
—, influenza, hemagglutinating and antibody-measuring capacities, dissociation, 1
—, influenza, nucleic acid and carbohydrate, 99
—, lymphocytic choriomeningitis, transmission by *Trichinella spiralis*, 759
—, mouse encephalomyelitis, Theiler FA, glycolysis, inhibition, relation of iron salts, 715
—, pneumonia, of mice, centrifugation studies, relative sizes of free and combined virus, 23
—, pneumonia, of mice, modifying effects of substances of bacterial origin on course of infection with, 623
—, pneumonia, of mice, properties in relation to state, 39
—, St. Louis encephalitis, multiplication and spread in mice with emphasis on fate in alimentary tract, 647
Virus-host interactions, chemical studies, tryptophane requirements in stages of virus multiplication in *Escherichia coli*-T2 bacteriophage system, 771
Viruses, influenza, properties, effect of ultraviolet irradiation, 347
—, meningopneumonitis and psittacosis, clouds, disinfection with triethylene glycol vapor, 65
— of Western and Eastern equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies, *in vitro* studies on influence of anesthesia, 559

WEIGHT maintenance effected by food proteins but not by mixtures of pure amino acids, 267
Western and Eastern equine encephalomyelitis, St. Louis encephalitis, poliomyelitis (Lansing), and rabies viruses, *in vitro* studies on influence of anesthesia, 559